

## Eco Mark Product Category No. 146

### “Vacuum Bottles Version1.3”

### Certification Criteria

- Applicable Scope-

Vacuum bottles for table top use, portable vacuum bottles, lunch jar, and heat-retention cookers that have a vacuum heat insulating structure. This shall exclude those using electricity, gas, oil, and other energy for heat retention/cold retention.

Established: September 1, 2010  
Last Revised: September 1, 2020  
Expiration Date: August 31, 2027

Japan Environment Association  
Eco Mark Office

NOTE: This document is a translation of the criteria written in Japanese. In the event of dispute, the original document should be taken as authoritative.

Eco Mark Product Category No.146

**“Vacuum Bottles Version1.3” Certification Criteria**

Japan Environment Association

Eco Mark Office

**1. Purpose of Establishing Criteria**

Omitted

**2. Applicable Scope**

The certification criteria shall apply to vacuum bottles for portable use, for table top use and for lunch box and heat-retention cookers that have a vacuum heat insulating structure. However, this shall exclude those using electricity, gas, oil, and other energy for heat/cold retention.

**3. Terminology**

Vacuum bottle	Bottle using a double-wall vacuum glass vessel as its inner bottle being intended for table top use only, or bottle using a double-wall vacuum stainless steel vessel as its vessel for both portable and table top use as well as lunch container. Types of vacuum bottles follows JIS S2006 “Vacuum bottles”.
Heat-retention cooker	Solid ingredients are put in a cooking pot and heated. Heating is stopped when adequate temperatures are reached, and then the food is transferred to a vacuum double container made of stainless-steel. A heat-retention cooker is designed to keep food warm and continue to cook with remaining heat.
Capacity	●Heat-retention cooker Capacity when liquid fills the cooking pot to the edge thereof, or actual capacity of the heat retaining container (in liters)
Expendable part	A part that is assumed to be replaced due to aging degradation, etc. caused by use of the product. In this product category, it shall refer to parts and other accessories listed below: ●Portable vacuum bottle

	Inner stopper, inner stopper rubber (packing) ●Table-top vacuum bottle Inner stopper, inner stopper rubber (packing), pumping pipe ●Lunch box vacuum bottle Packing of a rice container, food container, soup container, etc. ●Heat-retention cooker Nothing in particular specified.
Plastic	Materials made of single or multiple polymers, additives, fillers, etc. added to give characteristics.
Polymer	Macromolecules which are the main components of plastic
Heat and cold insulation performance	The heat-retaining performance by a testing method specified in JIS S2006 “Vacuum bottles”

#### 4. Certification Criteria and Certification Procedure

To show conformance to each criteria item, the respective Attached Certificates shall be submitted.

##### 4-1. Environmental Criteria and Certification Procedure

(1) In manufacturing the applied product, related environmental laws and regulations and pollution control agreement (hereinafter referred to as the “Environmental Laws, etc.”) must be followed with respect to air pollution, water contamination, noise, offensive odor, and emission of hazardous materials in the area where the plant performing the final manufacturing process is located.

In addition, the state of compliance with the Environmental Laws, etc. for the last five years from the date of application (whether there is any violation) must be reported. If there is any violation, it is necessary that proper remedies and preventive measures have been already taken, and the related Environmental Laws, etc. must thereafter be followed appropriately.

[Certification Procedure]

With respect to the compliance with the Environmental Laws, etc. in the area where the plant performing the final manufacturing process is located, a certificate issued by the representative of the business of manufacturing the applied product or the manager of the relevant plant (entry or attachment of

the list of names of the Environmental Laws, etc.) must be submitted.

In addition, it is necessary to report whether there is any violation during the last five years, including a violation subject to administrative punishment or administrative guidance, and if there is, the following documents in a and b must be submitted:

a. With respect to the fact of violation, guidance documents from administrative agencies (including order of correction and warning) and copies of written answers (including those reporting causes and results of correction) to such documents (making a series of progress clear);

b. Following materials (copies of recording documents, and so on) concerning the management system for compliance with the Environmental Laws, etc. in 1)-5):

1) List of the Environmental Laws, etc. related to the area where the plant is located;

2) Implementation system (organizational chart with entry of roles, etc.);

3) Document stipulating retention of recording documents;

4) Recurrence prevention measures (future preventive measures);

5) State of implementation based on recurrence prevention measures (result of checking of the state of compliance, including the result of onsite inspection).

(2) A metal material to be used in the product shall conform to 2 or more items of the following a to d on the selection of materials:

a. A metal material shall be composed of general components in Japan so that it will not interfere with recycling to a material of same system after use.

b. Consumption of rare metals (31 kinds of minerals defined in the Special Subcommittee on Rare Metal General Strategy, Mining Industry Council, Ministry of Economy, Trade and Industry) shall be minimized (For chemical composition of a metal material, the product shall conform to the relevant JIS).

c. Different alloy types (such as SUS304 and SUS316), sorting of which is difficult, shall not be used in combination in the product (However, this item shall not apply to the heat-retention cooker).

d. It shall be possible to separate a metal part from other materials in the product, without using any special tool, etc. (except surface treatment).

[Certification Procedure]

The Applicant shall enter necessary items in the Exhibit “Checklist on Metal Materials” and submit it together with necessary documents.

- (3) Plastic materials (In this item, plastic materials shall refer to resin itself, and not apply to coloring materials or fluororesin treatment.) used for the product shall not contain any halogens in its polymer backbone as prescription constituents.

[Certification Procedure]

For plastic materials to be used in the product, the Applicant shall state in the Attached Certificate whether any halogen element is added or not to polymer backbone.

- (4) Product packaging shall give consideration to resource saving, and easiness in reuse or recycling. Specifically, the packaging shall be a minimum required for protecting products during transportation/storage, and it shall be possible to sort packages by the material, without using any tool, etc. when they are disposed. Plastic materials to be used in packaging shall have no halogen element added to polymer backbone as a prescribed constituent. In addition, product packaging shall refer to one sales unit to an end-consumer.

[Certification Procedure]

Attached certificate stating compliance with this item shall be submitted with materials describing the packaging condition of the product and packaging materials (such as packaging specifications, etc.).

- (5) A system for a long-term use of the product shall be prepared. To be specific, as a supply period of an expendable part described in “3. Terminology”, during which users can exchange, at least 5 years shall be ensured after end of production of the applied product. In addition, information to this extent shall be disseminated.

[Certification Procedure]

A document providing users with the information that as a supply period of an expendable part, at least 5 years shall be ensured after end of production of the applied product and informing them of a method for placing an order for the expendable part (instruction manual, catalog, etc.) shall be submitted.

- (6) In order to contribute to reduction of energy needed to re-boil water or a lower frequency of opening/closing a refrigerator, the product shall have a high heat-retaining performance. To be specific, the heat /cold-retaining performance of the product shall conform to any Table from 1 to 4 below.

Table 1. Heat insulation performance of glass vacuum bottles (°C)

Inner bottle capacity <sup>a)</sup> (L)	10 hours	
	Bore diameter 40mm	Bore diameter 45mm
0.75	64 min.	—
1.0	66 min.	65 min.
1.3	70 min.	69 min.
1.6	72 min.	71 min.
1.9	—	73 min.
2.2		74 min.
2.5		75 min.
3.0		

<sup>a)</sup> Full capacity (when filled up to the rim)

Table 2. Heat insulation performance of stainless steel vacuum bottles (°C)  
(excluding direct-drink type cold only vacuum bottles)

Capacity (L)	Portable			Table-top		Lunch box		
	6 hours			10 hours		6 hours		
	General type			Direct drink type	General type	Pneumatic pressure type	General type	Direct containing type
	Bore diameter of inner cylinder							
Under $\phi 39$ mm	$\phi 39$ mm or over to and excl. $\phi 54$ mm	$\phi 54$ mm or over						
Under 0.3	62 min.	—	—	47 min.	—	—	45 min.	48 min.
0.3 or over to and excl. 0.4	66 min.	64 min.	—	53 min.	—	—		
0.4 or over to and excl. 0.6	70 min.	68 min.	66 min.	58 min.	—	—	51 min.	54 min.
0.6 or over to and excl. 0.9	74 min.	72 min.	70 min.	62 min.	57 min.		59 min.	62 min.
0.9 or over to and excl. 1.2	77 min.	75 min.	73 min.	66 min.	61 min.			
1.2 or over to and excl. 1.5	80 min.	78 min.	76 min.	—	65 min.	61 min.	64 min.	—
1.5 or over to and excl. 1.8	82 min.	80 min.	78 min.	—	68 min.	64 min.		
1.8 or over to and excl. 2.3	—	81 min.	79 min.	—	70 min.	66 min.	68 min.	
2.3 or over	—	—	80 min.	—	71 min.	67 min.		

Table 3. Cold insulation performance of stainless steel direct-drink type portable vacuum bottles (limited to cold only vacuum bottles) (°C)

Volume (L)	6 hours
Under 0.3	13 max.
0.3 or over to and excl. 0.4	

0.4 or over to and excl. 0.6	11 max.
0.6 or over to and excl. 0.9	10 max.
0.9 or over to and excl. 1.2	9 max.
1.2 or over to and excl. 1.5	
1.5 or over to and excl. 1.8	
1.8 or over to and excl. 2.3	
2.3 or over	

Table 4. Heat insulation performance of heat-retention cookers (°C)

Capacity (L)	6 hours
1.0 or over	60 min.

## [Certification Procedure]

For Heat-retaining/Cold-retaining effect, the results of tests conducted by an own company or a third party testing organization shall be submitted.

- (7) Any part of the product that will be in contact with content shall conform to an elution test for cadmium and lead as defined in the Food Sanitation Act

## [Certification Procedure]

The test results in accordance with the Food Sanitation Law with respect to the elution of the relevant substances from the product shall be submitted.

- (8) For a heat-retention cooker, information on the heat-retaining cooking time for each representative dish and efficient heat-retaining cooking method shall be provided by means of an instruction manual supplied with the product.

## [Certification Procedure]

For a heat-retention cooker, information on the heat-retaining cooking time for each representative dish and efficient heat-retaining cooking method shall be provided by means of an instruction manual supplied with the product.

## 4-2. Quality Criteria and Certification Procedure

- (1) Portable and table-top vacuum bottles and lunch box vacuum bottles shall conform to JIS S2006 “Vacuum bottles”. Heat-retention cookers shall be under a proper quality control by an in-house standard, etc.

In addition, the quality labeling of glass vacuum bottles, stainless steel portable vacuum bottles and stainless steel table top vacuum bottles shall follow Miscellaneous Manufactured Goods Quality Labeling Rules – Household Goods Quality Labeling Act.

[Certification Procedure]

The applicant shall submit a certificate stating that the product conforms to the relevant quality standard. For glass vacuum bottles, stainless steel portable vacuum bottles and stainless steel table top vacuum bottles, the applicant shall submit photographs or specifications that enable confirmation of content of the quality labeling as well.

## 5. Considerations

In the process of manufacturing products, it is desirable to consider the following, although they are not requirements for certification

- (1) A metal material to be used in the product shall not have any element (e.g., copper or tin in a steel material (rolling material)), which will interfere with recycling to a same material after use, as a construction material (including plating and coating). Or, it can be separated easily.

## 6. Product Classification, Indication and Others

- (1) Product classification (application unit) shall be by brand name, and also by either portable vacuum bottle, table top vacuum bottle or lunch box vacuum bottle. Classification by size or color is not performed.
- (2) In principle, Eco Mark shown as below shall be indicated on the product. The licensees of Eco Mark Utilization Contract who own Eco Mark products shall also be allowed to use the indication of the logo and certification number as before.



(Note for the indication)

- \*For indicating the logo, Eco Mark certification number (eight-digit number) or the name of the licensee using the logo shall be appeared.



- \* Such expression as “Eco Mark product” can be used following the 2.(2) of the Guide to Eco Mark Usage.  
“Eco Mark product”, “#Eco Mark”, “www.ecomark.jp”, “Eco Mark Certificate”
- \* If a licensee makes an environmental claim of the Eco Mark certified products associating with the Eco Mark logo, please comply with the “Environmental Labeling Guidelines” of the Ministry of the Environment of Japan.  
(<https://www.env.go.jp/policy/hozen/green/ecolabel/guideline/>)
- \* The Guide to Eco Mark Usage shall be followed for any cases not listed above.  
(<https://www.ecomark.jp/office/guideline/guide/>)

September 1, 2010	Established: (Version1.0)
March 1, 2011	Revised: (Version1.1)
July 13, 2012	Revised: (Version1.2)
March 15, 2016	Extension of Expiration
April 1, 20	Revised: (6.(2) Mark indication)
September 1, 2020	Revised: (Version1.3)
March 1, 2021	Extension of Expiration
August 31, 2027	Expiration:

The Certification Criteria for the Product Category will be revised when necessary.