

ANNEX

Tripartite Common Certification Rule on Indoor Floor Coverings [CJK-16-2024(A)]

No	Element	Harmonized Items of Standard(*)						Remarks	
		CEC		JEA					KEITI
		HJ571	HJ2546	No115 - B	No.123 A-1	No.123 C-6	No.123 C-7		EL246
1	Related laws and Regulations	4.2	4.2	4-1(11)	4-1(11)	4-1(9)	4-1(11)	1	CJK-Harmonized
2	Source of timber	5.1.1& 5.1.2	-	-				4.1.1, a)	CK-Harmonized
3	Flame Retardants and short-chain chlorinated	-	5.1.1	-	4-1(10)	4-1(8)	4-1(10)	4.2, a)	CJK Partially Harmonized (PBB, PBDE,SCCP)
4	Phthalate Additives	5.2.1	-	-				4.2, b)	CK-Harmonized
5	Organotin compounds	5.1.3	-	-				4.2, C)	CK-Harmonized

6	Asbestos	-	5.1.1	-				4.2, e)	CK-Harmonized
7	Dyes	-	5.1.1	-	-	-	4-1(6)	4.2, f)	CJK-Harmonized (Azo dyes & Allergic dispersing dyes) & CJK Partially Harmonized (Carcinogenic dyestuff CJK7+CK2) Details in dyes table below
8	Harmful substances	-	5.2.2	-				4.3.2	CK Partially Harmonized (Pb ≤ 90mg/kg)
9	Formaldehyde emission	-		4-1(10)	4-1(7)	4-1(4)	-	4.5, a)	JK Partially Harmonized (0.3mg/L for maximum value by the desiccator method)

(*) NOTE: Corresponding standard of each program as follows:

- CEC: HJ571-2010 “Wood based panels and finishing products”; HJ 2546-2016 “Textile Products”
- JEA: No.115-B. “Interior Accessories”; No.123 A-1 “Wooden Floor”; No.123 C-6 “Vinyl Flooring”; No.123 C-7 “Tile Carpets”
- KEITI: EL246:2023 “Indoor Floor Covering”

Carcinogenic Dyes

No.	CJK-Harmonized (7)		CK-Harmonized (2)	
1	3761-53-3	C.I. Acid Red 26	632-99-5	C.I. Basic Violet 14
2	569-61-9	C.I. Basic Red 9	82-28-0	C.I. Disperse Orange 11
3	1937-37-7	C.I. Direct Black 38		
4	2602-46-2	C.I. Direct Blue 6		
5	573-58-0	C.I. Direct Red 28		
6	2475-45-8	C.I. Disperse Blue 1		
7	2832-40-8	C.I. Disperse Yellow 3		
	Japan		Korea	
1	6459-94-5	C.I. ACID RED 114	6250-23-3	C.I. Disperse Yellow 23
2			85136-74-9	C.I. Disperse Orange 149